

- Abdalla, M., Rudzicz, F. & Hirst, G. (2018) Rhetorical structure and Alzheimer's disease, *Aphasiology*, 32(1), 41-60, doi:10.1080/02687038.2017.1355439
- Alm, C. O., Meyers, B., & Prud'hommeaux, E. (2017). An analysis and visualization tool for case study learning of linguistic concepts. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing: System Demonstrations* (pp. 13-18).
- Balagopalan, A., Novikova, J., Rudzicz, F., & Ghassemi, M. (2018). The Effect of Heterogeneous Data for Alzheimer's Disease Detection from Speech. *arXiv preprint arXiv:1811.12254*.
- Broderick, B. M., Tou, S. L., & Provost, E. M. (2018). COGID: A speech recognition tool for early detection of Alzheimer's disease. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 14(7), P191-P192.
- Budhkar, A., & Rudzicz, F. (2018). Augmenting word2vec with latent Dirichlet allocation within a clinical application. *arXiv preprint arXiv:1808.03967*.
- Carenini, G. (2017, July). Domain adaptation for detecting Mild Cognitive Impairment. In *Advances in Artificial Intelligence: 30th Canadian Conference on Artificial Intelligence, Canadian AI 2017, Edmonton, AB, Canada, May 16-19, 2017, Proceedings* (Vol. 10233, p. 248). Springer.
- Chinaei, H., Currie, L. C., Danks, A., Lin, H., Mehta, T., & Rudzicz, F. (2017). Identifying and avoiding confusion in dialogue with people with Alzheimer's disease. *Computational Linguistics*, 43(2), 377-406.
- Da Cunha, A. L. V., De Sousa, L. B., Mansur, L. L., & Aluísio, S. M. (2015, June). Automatic proposition extraction from dependency trees: Helping early prediction of Alzheimer's disease from narratives. In *Computer-Based Medical Systems (CBMS), 2015 IEEE 28th International Symposium on* (pp. 127-130). IEEE.
- de Boer, J. N., Voppel, A. E., Begemann, M. J. H., Schnack, H. G., Wijnen, F., & Sommer, I. E. C. (2018). Clinical use of semantic space models in psychiatry and neurology: A systematic review and meta-analysis. *Neuroscience & Biobehavioral Reviews*.
- DePaul, R., Busch, C., & Alfredson, H. (2017, November). *Semantic Feature Analysis treatment using Spaced Retrieval in a case of semantic PPA*. Poster presented at the American Speech-Language-Hearing Association Convention, Los Angeles, CA.

- Eyigöz, E., Cecchi, G. A., & Tejwani, R. (2018). Predicting cognitive impairments with a mobile application. In *ICAART (2)*, 683-692.
- Field, T. S., Masrani, V., Murray, G., & Carenini, G. (2017). Improving diagnostic accuracy of Alzheimer's disease from speech analysis using markers of hemispatial neglect. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 13(7), P157-P158.
- Fisher, Theresa (2012). *The qualitative differences in analyzing language data of people with dementia Using the SALT versus CLAN programs*. Undergraduate Honors Thesis, The Ohio State University.
- Fisher, T. & Bourgeois, M. (May, 2012). *The qualitative differences in analyzing language data of people with dementia using the SALT versus CLAN programs*. Poster presented at the Denman Undergraduate Research Forum, OSU, Columbus, OH.
- Fraser, K. C., Fors, K. L., & Kokkinakis, D. (2019). Multilingual word embeddings for the assessment of narrative speech in mild cognitive impairment. *Computer Speech & Language*, 53, 121-139.
- Fraser, K. C., Meltzer, J. A., & Rudzicz, F. (2016). Linguistic features identify Alzheimer's disease in narrative speech. *Journal of Alzheimer's Disease*, 49(2), 407-422.  
<http://doi.org/10.3233/JAD-150520>
- Hernández-Domínguez, L., Ratté, S., Sierra-Martínez, G., & Roche-Bergua, A. (2018). Computer-based evaluation of Alzheimer's disease and mild cognitive impairment patients during a picture description task. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, 10, 260-268.
- Johannßen, D., & Biemann, C. (2018). Between the lines: Machine learning for prediction of Psychological Traits-a Survey. *Structure*, 7(1), 8.
- Karlekar, S., Niu, T., & Bansal, M. (2018). Detecting linguistic characteristics of Alzheimer's Dementia by interpreting neural models. *arXiv preprint arXiv:1804.06440*.
- Kielar, A., Deschamps, T., Jokel, R., & Meltzer, J. A. (2018). Abnormal language-related oscillatory responses in primary progressive aphasia. *NeuroImage: Clinical*, 18, 560-574.
- Kokkinakis, D., Fors, K. L. F. L., Björkner, E., & Nordlund, A. (2017, May). Data collection from persons with mild forms of cognitive impairment and healthy controls - Infrastructure for classification and prediction of dementia. In *Proceedings of the 21st Nordic*

- Conference on Computational Linguistics*, (pp. 172-182).  
Linköping University Electronic Press.
- Kokkinakis, D., Fors, K. L., Fraser, K. C., & Nordlund, A. (2018). A Swedish Cookie-Theft Corpus. In *LREC*.
- Lanzi, A., Lindsay, A., & Bourgeois, M. (2017, November). *Verbal fluency in dementia: Changes over time*. Poster presented at the American Speech-Language-Hearing Association Convention, Los Angeles, CA.
- Lin, Yuchen (2013). *Verbal fluency tasks in dementia: Effects of cognition, education, and gender*. Undergraduate Honors Thesis, The Ohio State University.
- Linz, N., Tröger, J., Alexandersson, J., Wolters, M., König, A., & Robert, P. (2017, November). Predicting dementia screening and staging scores from semantic verbal fluency performance. In *International Conference on Data Mining (ICDM)-Workshop on Data Mining for Aging, Rehabilitation and Independent Assisted Living*, (pp. 719-728).
- Masrani, V. (2017). *Detecting dementia from written and spoken language*. Master's thesis, University of British Columbia, Department of Computer Science.
- Masrani, V., Murray, G., Field, T. S., & Carenini, G. (2017, May). Domain adaptation for detecting Mild Cognitive Impairment. In *Canadian Conference on Artificial Intelligence* (pp. 248-259). Springer, Cham.
- Mirheidari, B., Blackburn, D., Walker, T., Venneri, A., Reuber, M., & Christensen, H. (2018). Detecting signs of dementia using word vector representations. *Proc. Interspeech 2018*, 1893-1897.
- Morales, M. R. (2018). Multimodal Depression Detection: An investigation of features and fusion techniques for automated systems.
- Morales, M., Scherer, S., & Levitan, R. (2017). A Cross-modal review of indicators for depression detection systems. In *Proceedings of the Fourth Workshop on Computational Linguistics and Clinical Psychology--From Linguistic Signal to Clinical Reality* (pp. 1-12).
- Mueller, K. D. (2017). *Connected language in early Mild Cognitive Impairment*. Doctoral dissertation, The University of Wisconsin-Madison.
- Mueller, K. D., Koscik, R. L., Clark, L. R., Hermann, B. P., Johnson, S. C., & Turkstra, L. S. (2017). The latent structure and test-retest

stability of connected language measures in the Wisconsin Registry for Alzheimer's Prevention (WRAP). *Archives of Clinical Neuropsychology*, 1-13.

Mueller, K. D., Kosciak, R. L., Hermann, B., Johnson, S. C., & Turkstra, L. S. (2017). Declines in connected language are associated with very early Mild Cognitive Impairment: Results from the Wisconsin Registry for Alzheimer's Prevention. *Frontiers in Aging Neuroscience*, 9, 437.

Mueller, K. D., Kosciak, R. L., Turkstra, L. S., Riedeman, S. K., LaRue, A., Clark, L. R., ... & Johnson, S. C. (2016). Connected language in late middle-aged adults at risk for Alzheimer's Disease. *Journal of Alzheimer's Disease*, (Preprint), 1-12.

Noorian, Z., Pou-Prom, C., & Rudzicz, F. (2017). On the importance of normative data in speech-based assessment. *arXiv preprint arXiv:1712.00069*.

Orimaye, S. O., Wong, J. S., Golden, K. J., Wong, C. P., & Soyiri, I. N. (2017). Predicting probable Alzheimer's disease using linguistic deficits and biomarkers. *BMC bioinformatics*, 18(1), 34.

Orimaye, S.O., Wong, J. S., Golden, K.J. (2014). Learning predictive linguistic features for Alzheimer's disease and related dementias using verbal utterances. *Proceedings of the Workshop on Computational Linguistics and Clinical Psychology: From Linguistic Signal to Clinical Reality*, 78-87.

Orimaye, S. O., Wong, J. S. M., & Wong, C. P. (2018). Deep language space neural network for classifying mild cognitive impairment and Alzheimer-type dementia. *PloS one*, 13(11), e0205636.

Ossewaarde, R., Jonkers, R., Jalvingh, F., & Bastiaanse, R. (2017). Automated detection of unfilled pauses in speech of healthy and brain-damaged individuals. *Universitat Rovira i Virgili, Research Group on Mathematical Linguistics Proceedings*, 5.

Pou-Prom, C., & Rudzicz, F. (2018). Learning multiview embeddings for assessing dementia. In *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, 2812-2817.

Rudzicz, F., Currie, L.C., Danks, A., Mehta, T., & Zhao, S. (2014). Automatically identifying trouble-indicating speech behaviors in Alzheimer's disease. *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility*, 241-242. <http://dx.doi.org/10.1145/2661334.2661382>

Rudzicz, F., Wang, R., Begum, M., & Mihailidis, A. (2014). Speech

recognition in Alzheimer's disease with personal assistive robots. *Proceedings of the Fifth Workshop on Speech and Language Processing for Assistive Technologies (SLPAT)*, 20-28.

- Sadeghian, R., Schaffer, J. D., & Zahorian, S. A. (2018). *Using automatic speech recognition to identify dementia in early stages*. Paper presented at the 170<sup>th</sup> meeting of the Acoustical Society of America.
- Santos, L. B. D., Corrêa Jr, E. A., Oliveira Jr, O. N., Amancio, D. R., Mansur, L. L., & Aluísio, S. M. (2017). Enriching complex networks with word embeddings for detecting Mild Cognitive Impairment from speech transcripts. *arXiv preprint arXiv:1704.08088*.
- Schaffer, D., Sadeghian, R., & Zahorian, S. A. (2018). Toward an automatic speech-based diagnostic test for Alzheimer's disease. *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 14(7), P195.
- Shinkawa, K., & Yamada, Y. (2018). Word Repetition in Separate Conversations for Detecting Dementia: A Preliminary Evaluation on Data of Regular Monitoring Service. *AMIA Summits on Translational Science Proceedings, 2017*, 206.
- Sirts, K., Piguet, O., & Johnson, M. (2017). Idea density for predicting Alzheimer's disease from transcribed speech. *Proceedings of the 21st Conference on Computational Natural Language Learning (CoNLL 2017)*, 322-332.
- Slegers, A., Filiou, R. P., Montembeault, M., & Brambati, S. M. Connected Speech Features from Picture Description in Alzheimer's Disease: A Systematic Review. *Journal of Alzheimer's Disease*, (Preprint), 1-26.
- Sunderman, M. (2012). *The effects of Alzheimer's Disease on expressive language over time*. Undergraduate Honors Thesis, The Ohio State University.
- Sundermann, M., & Bourgeois, M. (2012, May). *The effects of Alzheimer's Disease on expressive language over time*. Poster presented at the Denman Undergraduate Research Forum, OSU, Columbus, OH.
- Sung, J. E., Lee, S. E., DeDe, G., Oh, S. J., Shin, M. K., & Lee, S. E. (2018, May). *Semantic-phonemic discrepancy and its changes over time in Alzheimer's disease: Evidence from clustering and switching analyses*. Paper presented at the Clinical Aphasiology Conference, Austin, TX.

- Tanaka, H., Adachi, H., Ukita, N., Ikeda, M., Kazui, H., Kudo, T., & Nakamura, S. (2017). Detecting dementia through interactive computer avatars. *IEEE Journal of Translational Engineering in Health and Medicine*.
- Van der Woude, A., Faroqi-Shah, Y., Ficek, B., Webster, K. & Tsapkini, K. (November 2017). *Connected language in Primary Progressive Aphasia: Testing the utility of linguistic measures in differentially diagnosing PPA and its variants*. Academy of Aphasia, Baltimore, MD.
- Walker, J. Q., Kennedy, B. K., & Sabbagh, M. N. (2017). Development, application, and results from a clinical informatics platform that enables a multi-modal treatment protocol for Alzheimer's disease (AD). *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*, 13(7), P158-P159.
- Wankerl, S., Nöth, E., & Evert, S. (2017). An N-Gram based approach to the automatic diagnosis of Alzheimer's Disease from spoken language. *Proc. Interspeech 2017*, 3162-3166.
- Warnita, T., Inoue, N., & Shinoda, K. (2018). Detecting Alzheimer's Disease using gated convolutional neural network from audio data. *arXiv preprint arXiv:1803.11344*.
- Weiss, J. (2012). *Differential performance across discourse types in MCI and dementia*. Master's Thesis, The Ohio State University.
- Weiss, J., & Bourgeois, M. (November, 2012). Development of DementiaBank: Language usage in dementia. Poster presented at the American Speech-Language-Hearing Association convention, Atlanta, GA.
- Yancheva, M., & Rudzicz, F. (2016). Vector-space topic models for detecting Alzheimer's disease. In *Proceedings of the Annual meeting of the Association for Computational Linguistics (ACL16)*. San Francisco, CA, USA.
- Yancheva, M., Fraser, K. C., & Rudzicz, F. (2015). Using linguistic features longitudinally to predict clinical scores for Alzheimer's disease and related dementias. In *Proceedings of 6th Workshop on Speech and Language Processing for Assistive Technologies*. Dresden Germany.
- Ye, Z., & Li, F. (2017, September). Context enhanced word vectors for sentiment analysis. In *Chinese National Conference on Social Media Processing* (pp. 256-267). Springer, Singapore.
- Zhu, L., Fraser, K. C., & Rudzicz, F. (2016). Speech recognition in Alzheimer's disease and in its assessment. In *Proceedings of the*

*17th Annual Meeting of the International Speech Communication Association (Interspeech)* (pp. 1948–1952).

<http://doi.org/10.21437/Interspeech.2016-1228>

- Zhu, Z., Novikova, J., & Rudzicz, F. (2018). Detecting cognitive impairments by agreeing on interpretations of linguistic features. *arXiv preprint arXiv:1808.06570*.
- Zhu, Z., Novikova, J., & Rudzicz, F. (2018). Isolating effects of age with fair representation learning when assessing dementia. *arXiv preprint arXiv:1807.07217*.
- Zhu, Z., Novikova, J., & Rudzicz, F. (2018). Semi-supervised classification by reaching consensus among modalities. *arXiv preprint arXiv:1805.09366*.
- Zimmerer, V. C., Wibrow, M., & Varley, R. A. (2016). Formulaic language in people with probable Alzheimer's disease: a frequency-based approach. *Journal of Alzheimer's Disease, 53*(3), 1145-1160.